







INTRODUCTION

About Dometic 4 – 5

MEDICAL & FOOD

Dometic medical refrigerators

8 – 11

Dometic Compressor refrigerators - DIN & non DIN Dometic HC 302 Dometic HC 502

Noiseless absorption refrigerators Dometic DS 301 H Dometic DS 601 H

Dometic Food Line refrigerators

12 – 13

Noiseless absorption refrigerators

Dometic DS 200 Dometic DS 300

Dometic DS 400

Dometic DS 600

SAFETY & SECURITY

Dometic proSafe 16 – 17

proSafe MD 283 proSafe MD 363 proSafe MD 310 proSafe MD 390

Dometic SafeLock

18

DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all our catalogues.

WWW.DOMETIC.COM/CARE

WELL PROVEN SINCE DECADES

DOMETIC REFRIGERATORS AND SAFES FOR HEALTH AND CARE FACILITIES

Dometic is a leading manufacturer of cooling appliances for special applications – with decades of experience in the healthcare sector. Our reference list includes hospitals, retirement and nursing homes, doctor's surgeries, pharmacies and laboratories.

Dometic Medical and Food Line refrigerators have been proven thousands of times over, across Europe and beyond. They are among the most compact of their kind available in the market.

With its proSafe and SafeLock ranges, Dometic also provides reliable solutions for secure storage of the patients' or residents' valuables. All products for the healthcare sector are manufactured to stringent quality and environmental standards in Dometic's own, certified factories. Our sales and service network spans almost 100 countries and provides personal support to customers and planners on all continents.

CERTIFIED QUALITY

- All Dometic production plants are certified according to ISO 9001 and ISO 14001 as well as the Eco-Management and Audit Scheme.
- Dometic is an EMAS-certified company.
 All environmental results are published in Dometic Environmental Product Declarations.
- All products fulfil the requirements of the European Union's ROHS directive.

RESPONSIBILITY FOR THE ENVIRONMENT

At Dometic, thinking and acting ecologically is an all-embracing process that extends to all levels – from the design of resource-saving, energy-efficient products to sustainable production processes and special recycling measures. You can be 100% sure that all applicable regulations, directives and guidelines are fulfilled.



Dometic's certified production facility at Jászberény, Hungary





DOMETIC PRODUCTS ADD VALUE

FOR HOSPITALS, RETIREMENT HOMES, SURGERIES AND PHARMACIES

HOSPITALS & CLINICS

Having their own Food Line fridge and proSafe in the room gives patients more comfort and convenience. They are less dependent on staff for drinks and food and can rest assured that their valuables are safely stored. This, in turn, relieves the staff and cuts operating costs. Hotel-like amenities can also help hospitals and clinics stand out from their competitors.

Medical refrigerators on the station floor provide easy access to daily medications and common prescriptions, which means shorter distances to go for the hospital staff.

Product examples: DS 400, HC 302 DIN, DS 301 H and MD 363

RETIREMENT HOMES

Dometic Food Line refrigerators take up very little space and offer a great deal of comfort. They make the residents feel more at home, and more independent too. This relieves the nursing staff and gives them more time for other tasks.

Dometic medical refrigerators provide safe storage for temperaturesensitive pharmaceuticals and fast access to "daily essentials".

Product examples: DS 400, HC 302 DIN and MD 363

SURGERIES AND PHARMACIES

Dometic medical refrigerators keep smaller amounts of temperaturesensitive pharmaceuticals, preparations and vaccines close at hand for immediate access.

They provide safe storage of the precious content at a temperature between +2°C and +8°C. The well organised, illuminated interior with practical drawers and compartments makes for easy handling.

Product examples: HC 302 DIN, HC 502 DIN and DS 601 H









The ideal solution for storing heat-sensitive medicine safely at a temperature between +2°C and +8°C. Practical drawers enable you to keep the medicine arranged and grouped clearly. A digital thermometer monitors the internal temperature and stores the highest and lowest temperature for a defined control period.

You can choose between two series with different cooling technologies and quality features:

HC series with powerful, energy saving compressor technology: with integrated temperature display and high-quality, roller based metal drawers (3/4 extension) with plastic front

DS series with noiseless absorption cooling: for normal ambient temperatures, fitted with an external thermometer and plastic drawers (1/2 extension) with transparent front

QUALITY FEATURES

- Constant cooling performance between +2°C and +8°C
- DIN certified medical refrigerators
- High-quality metal drawer with telescopic slides
- Digital temperature display with memory function
- Audible alarm functions
- Lock included

WHY USE SPECIAL MEDICAL REFRIGERATORS?

Improper medicine storage can not only cause severe damage. In the worst case, it can also have bad consequences on the patient's health, because the drugs can become ineffective. Therefore, pharmaceuticals and preparations that require cooling (e.g. insulin, vaccines or heparin products) have to be properly stored at temperatures between 2°C and 8°C. Quite often, conventional household refrigerators are used for the purpose, although they are absolutely unsuitable. Household fridges are unable to maintain a constant temperature level inside. Moreover, they have fully automatic defrosting cycles, and the temperature can rise to over 10°C during the defrosting phases. Also, it is impossible to check, document and store the temperature data.

HC SERIES DIN MEDICAL REFRIGERATORS

EXCELLENT STORAGE CONDITIONS FOR HIGHEST DEMANDS

Medical refrigerators have to meet the very highest demands, and they have to be absolutely reliable. To be on the safe side, use a device that complies with the DIN 58345 standard for pharmaceutical refrigerators, because it will meet the demands on professional storage to the full extent. In addition to standard features like temperature setting, recirculation cooling and a safety lock, DIN compliant devices also provide a visual and audible warning function in case of temperature deviations. Thanks to an integrated battery the warning function (visual + audible) will even be maintained for at least 12 hours if the power supply fails. On top of that, DIN refrigerators are fitted with a potential free contact for alarm transmission.





MODEL	HC 302 DIN	HC 502 DIN
Storage volume (litres)	22	35
Cabinet colour	White	White
Cooling technology	Compressor	Compressor
Temperature range (fixed)	2-8°C	2-8°C
Dimensions (H \times W \times D, mm)	580 x 422 x 450	592 x 486 x 494
Energy consumption (kWh/24 h)	0.42	0.44
Drawers (number)	3	3
Door lock	•	•
Digital thermometer with data memory	integrated	integrated
Variable door hinge Right / left hand hinge	•/-	•/-

ADDITIONAL DIN FEATURES

- Temperature variation alarm
- Power failure alarm
- External, potential free contact for alarm transmission
- AC powered display (no batteries)



Integrated in the door: illuminated thermometer min/max data memory to monitor the interior temperature



Drawers with transparent front panel



Ergonomic door handle



Interior light



Lockable door

HC SERIES MEDICAL REFRIGERATORS

THE ECONOMICAL SOLUTION

Based on efficient compressor cooling, HC series medical refrigerators are amazingly powerful and energy-saving. Moreover, the models in the HC series are fitted with some useful extra features. High-quality, roller based metal drawers with 3/4 extension allow for convenient handling in everyday use, and the thermometer is integrated in the door.





MODEL	HC 302	HC 502
Storage volume (litres)	29	43
Cabinet colour	White	White
Cooling technology	Compressor	Compressor
Temperature range (fixed)	2-8°C	2-8°C
Dimensions (H x W x D, mm)	580 x 422 x 450	592 x 486 x 494
Energy consumption (kWh/24 h)	0.42	0.44
Drawers (number)	3	3
Door lock	•	•
Digital thermometer with data memory	integrated	integrated
Right / left hinge	•/-	•/-

FEATURES

- High-performance compressor cooling even at high ambient temperatures
- Integrated in the door: illuminated thermometer min/max data memory to monitor the interior temperature
- High-quality, roller based metal drawers with 3/4 extension for well organised storage
- door open alarm



Integrated thermometer



Drawers with transparent front panel



Ergonomic door handle



Interior light



Lockable door

DS SERIES MEDICAL REFRIGERATORS

NOISELESS ABSORPTION COOLING - THE ENTRY-LEVEL MODELS

Well proven and sold thousands of times over, DS series medical refrigerators are ideal for safe storage of insulin and other heat-sensitive pharmaceuticals at a temperature between 2°C and 8°C. The drawers allow for an organised storage of pharmaceuticals. The external digital thermometer keeps the interior temperature under control.







MODEL	DS 301 H	DS 601 H
Storage volume (litres)	27	52
Cabinet colour	White	White
Cooling technology	Absorption	Absorption
Temperature range (fixed)	2-8°C	2-8°C
Dimensions (H x W x D, mm)	580 x 422 x 393	592 x 486 x 494
Energy consumption (kWh/24 h)	0.86	1.05
Drawers (number)	3	3
Door lock	•	•
Digital thermometer with data memory	external	external
Variable door hinge	•	•

FEATURES

- Noiseless absorption cooling for standard room temperatures
- External thermometer with min/ max data memory to monitor the interior temperature
- Plastic drawers
- Door open alarm



Removable plastic drawers with transparent front and 1/2 extension



Interior light



External thermometer with min/max data memory for monitoring the interior temperature



Chilled drinks and food right at your fingertips all the time. Dometic Food Line refrigerators give patients or residents more comfort, privacy and independence. Compact and based on noiseless absorption cooling they can be placed in the room as required, even at the bedside. As the only cooling appliances in their class world-wide, the Dometic refrigerators are suitable for fresh food too. They reliably maintain a cooling temperature of 4°C at ambient temperatures up to 32°C.

QUALITY FEATURES

- Noiseless absorption cooling can be placed at the bedside
- Compact, space-saving design fits where an ordinary fridge won't
- Suitable for fresh food
- Practical options: lock, sliding hinge

FOOD LINE

PRODUCT COMPARISON

TECHNICAL DATA MODEL	DS 200	DS 300	DS 400	DS 600
Storage volume (litres)	21	27	32	43
Cabinet colour	Black or white	Black or white	Black or white	Black or white
Dimensions Stand-alone (H x W x D, mm)	495 x 422 x 393	580 x 422 x 393	580 x 422 x 450	592 x 486 x 494
Dimensions Built-in version* (H x W x D, mm)	455 x 422 x 383	540 x 422 x 383	540 x 422 x 440	552 x 486 x 484
Can be built-in/integrated	•	•	•	•
Variable door hinge	•	•	•	•
LED interior light	•	•	•	•
Input rating (W)	65	65	65	65
Energy consumption (kWh/24 h)	0.74	0.76	0.76	0.77
Noise level (db[A])	0	0	0	0
Configuration				
	 Adjustable plastic shelf with recess for tall bottles Flat inner door 	 2 adjustable plastic shelves with recess for tall bottles Flat inner door 	2 adjustable plastic shelves3 adjustable door racks	2 adjustable plastic shelves3 adjustable door racks
Options				
	Sliding hingeLockBuild in version (BI)*	Sliding hingeLockBuild in version (BI)*	Sliding hingeLockBuild in version (BI)*	Sliding hingeLockBuild in version (BI)*

 $^{^{\}star} \, \text{BI version: for fully-integrated installation (without decorative panel, base frame, unit cover and housing cover, with sliding hinge)}$




Ventilation of the cooling unit

To ensure optimum cooling performance with minimum energy consumption, several basic principles need to be followed when installing an absorption miniBar. The heat which the cooling unit extract from the refrigerator interior is emitted at the back of the miniBar.

When installing the miniBar, ensure that it is standing on a stable and horizontal surface, and not directly near a heat source.







Latest surveys in hospitals have shown that more than 80% of patients would like to have their belongings safe. Dometic safes and furniture locks give patients and residents the peace of mind knowing that their money, documents, watches, jewellery and other valuables are safely stored. This also means one thing less to worry for hospitals or nursing staff – and no liability discussions in case of loss or theft.

The Dometic proSafe range offers a choice of four models in different sizes, all featuring a contemporary design with rounded corners and edges for enhanced safety. Dometic SafeLock converts an existing furniture into a spacious safety compartment.

QUALITY FEATURES

- Laser cut doors with minimal clearance for top security
- Intuitive, user-friendly operation
- Motorised locking system with automatic opening
- Emergency opening via master key or master code
- For retrofitting into existing furniture

PROSAFE

PRODUCT OVERVIEW

TECHNICAL DATA	MD 283	15°	MD 310	MD 390	SAFELOCK
	MD 203	WD 303	MD 310	WD 390	SAFELOCK
Type of product	Electronic safe	Electronic safe	Electronic safe	Electronic safe	Furniture lock
Capacity (litres)	8.2	24	9	31.5	-
Exterior dimensions (H x W x D, mm)	165 × 280 × 235	190 × 360 × 410	165 × 310 × 245	200 × 390 × 480	155 × 155 × 6
Steel thickness (mm)	Door: 5.0 / Body 1.2	Door: 5.0 / Body 1.5	Door: 5.0 / Body 2	Door: 5.0 / Body 2	6
Keypad	ADA-compliant	ADA-compliant rubber keypad		ADA-compliant rubber keypad	
Display	LED 4-digit user code		LED 4-digit user code		LED 4-digit user code
Locking mechanism	Two 18 mm so	Two 18 mm solid steel bolts		Two 19 mm solid steel bolts	
Locking system	Motorised with a	Motorised with automatic opening		Motorised with automatic opening	
Cabinet colour	Anthracite gre	Anthracite grey (NCS 8502)		Anthracite grey (NCS 8502)	
Features					
Audit	•	•	-	-	optional
LED interior light	•	•	•	•	-
Spring opening door	•	•	•	•	-
Master code opening	•	•	•	•	•
Master key opening	•	•	•	•	•
Options					
	 Left-handed hinge door opening Custom colour Integrated socket (EU, US, UK, FR) Fixing kit Handle 220 V mains operation Emergency opening with REOS code 		Left-handed hingeFixing kit		Emergency opening with REOS code Left hand hinge opening Handle
• Yes / – No					

Further models available on request.



YOU CAN FIND MORE SAFE MODELS AT WWW.DOMETIC.COM/CARE

DOMETIC SAFELOCK

TRANSFORM AN EXISTING FURNITURE INTO A SPACIOUS SAFETY CABINET



Dometic presents SafeLock, a new addition to its existing Safe Range. This innovative solution can convert existing, unused or built in furniture into a lockable compartment for larger items.

Using a 4 digit personal security code and a LED display the SafeLock uses the same tried and tested technology from the Dometic safe range. The Dometic SafeLock is easy to install, and ideal for storing computer cases, rucksacks or any larger items. With a slim design and a motorised locking system the Safelock offers convenience, maximum security and peace of mind to residents or patients.

The SafeLock can be opened in an emergency using the Master Code and Master Key and has optional features like Remote Emergency Opening System (REOS Code) through Safe Management (SAM) and the possibility to audit the last 1000 events with the Premium Audit System.

TECHNICAL DATA	SAFELOCK
Type of product	Furniture lock
Capacity (litres)	-
Exterior dimensions (H x W x D, mm)	155 × 155 × 6
Steel thickness (mm)	6
Keypad	ADA-compliant rubber keypad
Display	LED 4-digit user code
Locking mechanism	Two 18 mm solid steel bolts
Locking system	Motorised
Cabinet colour	Black (RAL 9005)
Features	
Audit	optional
Master code opening	•
Master key opening	•

Options		
	•	Emergency opening with REOS code Left hand hinge opening Handle
• Yes / – No		

Further models available on request.

QUALITY FEATURES

- Intuitive, user-friendly operation
- Motorised locking system with automatic opening
- Emergency opening via master key or master code
- Electronic door locks for retrofitting into existing furniture ideal for larger items







RFI GIUM

DOMETIC BRANCH OFFICE BELGIUM

7inkstraat 13 B-1500 Halle Tel +32 2 3598040 Fax +32 2 3598050 Mail info@dometic.be

DENMARK

DOMETIC DENMARK A/S

Nordensvej 15, Taulov DK-7000 Fredericia Tel +45 75585966 Fax +45 75586307 Mail info@dometic.dk

EASTERN EUROPE DOMETIC AB

Hemvärnsgatan 15

SE-171 54 Solna

Tel +46 (0)8 501 02 500

Mail lodging.export@dometic.com

FINLAND Mestarintie 4

DOMETIC FINLAND OY

FIN-01730 Vantaa Tel +358 20 7413220 Fax +358 9 7593700 Mail info@dometic.fi

FRANCE

DOMETIC SAS

ZA du Pré de la Dame Jeanne B P 5

F-60128 Plailly

Tel +33 3 44633525

Fax +33.3.44633518 Mail lodging@dometic.fr

GERMANY & AUSTRIA

DOMETIC GMBH

In der Steinwiese 16 D-57074 Siegen Tel +49(0) 271 692 0 Fax +49 (0) 271 692 302 Mail info@dometic.de

HUNGARY

DOMETIC ZRT. SALES OFFICE

H-1147 Budapest Kerékavártó u. 5. Tel +3614684400 Fax +36 1 468 4401 Mail budapest@dometic.hu

ITALY

DOMETIC ITALY S.R.L.

Via Virgilio, 3 I-47122 Forli (FC) Tel +39 0543 754901 Fax +39 0543 754983 Mail vendite@dometic.it

NETHERLANDS DOMETIC BENELUX B.V.

Ecustraat 3 NI-4879 NP Etten-Leur Tel +31 76 5029000 Fax +31 76 5029019 Mail info@dometic.nl

NORWAY

DOMETIC NORWAY AS

Østerøvveien 46 N-3236 Sandefjord Tel +47 33428450 Fax +47 33428459 Mail firmapost@dometic.no

POLAND

DOMETIC POLAND SP. ZO.O

ul Puławska 435A PL-02-801 Warszawa Tel +48 22 414 3200 Fax +48 22 414 3201 Mail info@dometic.pl

PORTUGAL

DOMETIC SPAIN, S.L.

Branch Office em Portugal Rot. de São Gonçalo nº 1– Esc. 12 2775-399 Carcavelos Tel +351 219 244 173 Fax +351 219 243 206

RUSSIA

DOMETIC RUS LLC

Mail info@dometic.pt

Komsomolskaya square 6 – 1 RU-107140 Moscow Tel +7 495 780 79 39 Fax +7 495 916 56 53 Mail info@dometic.ru

SPAIN

DOMETIC SPAIN S.L.

Avda, Sierra del Guadarrama, 16 E-28691 Villanueva de la Cañada Madrid

Tel +34 91 833 6089 Fax +34 900 100 245 Mail info@dometic.es

SWEDEN

DOMETIC SCANDINAVIA AB

Gustaf Melins gata 7 S-421 31 Västra Frölunda Tel +46 31 7341100 Fax +46 31 7341101 Mail info@dometic.se

SWITZERLAND

DOMETIC SWITZERLAND AG

Riedackerstrasse 7a CH-8153 Rümlang Tel +41 44 8187171 Fax +41 44 8187191 Mail info@dometic.ch

MENA

DOMETIC MIDDLE EAST FZCO

P.O. Box 17860 S-D 6, lebel Ali Freezone Dubai

Tel +971 4 883 3858 Fax +971 4 883 3868 Mail info@dometic.ae

UNITED KINGDOM DOMETIC UK LTD.

Dometic House, The Brewery, Blandford St. Mary Dorset DT11 9LS Tel +44 344 626 0133

Fax +44 344 626 0143 Mail sales@dometic.co.uk

EXPORT

Dometic Competence Center In der Steinwiese 16 D - 57074 Siegen, Germany Tel +49 (0) 271 692 121 Mail lodging.export@dometic.com

TURKEY ENTA A. S.

Gümüşsusyu Mah.İnönü Cad. Taksim / Beyoğlu / İstanbul Tel +90 212 292 89 00 Mail info@entaturk.com

GREECE SAMARAS

Anaximandrou 73 54250 Thessaloniki Tel +30 231 032 1091 Mail polief96@otenet.gr

KENYA & EAST AFRICA SANDEN INTERCOOL

Tel +254(0)727726336

28 The Crescent Road Nairobi

Mail purity.simiyu@sandenintercool.co.ke

RUSSIA MIKO

Leningradskiy pr. 30/2 125040 Moscow Tel +7 495 651 09 45

Mail officemoscow@miko-hotelservices.com